



# GLOBE / 3P

**Valvole a sfera a  
passaggio totale,  
3 pezzi / Full bore ball  
valves, 3 pieces**



**Modello / Model**

**GLOBE 3P**

**Materiale / Material**

Aisi 316

**Tenuta / Seal**

PTFE + 15% FV / GF

**DN**

8 – 100


**PN**

63

## Caratteristiche tecniche / Construction features

- **Montaggio diretto attuatore secondo /**  
Direct actuator installation according to  
ISO 5211
- **Conessioni filettate femmina secondo /**  
Threaded ends female according to  
UNI EN 10226-1, NPT
- **Attacchi a saldare /** Welding ends  
BUTT-WELD: ANSI B 16.25,  
SOCKET-WELD: ANSI B 16.11
- **Pressione nominale di esercizio /** Nominal  
working pressure  
63 bar
- **Temperatura di esercizio /**  
Working temperature  
-25°C – +180°C
- **Albero anti-espulsione /** Blow-out proof  
stem

## Diagramma pressione temperatura / Pressure temperature diagram



**Su richiesta /**  
On request

**Con foro sfera a V di  
30° - 60° - 90° /**  
With V ball hole of  
30° - 60° - 90°



## Componenti e materiali / Components and materials

<b>1</b>	<b>Corpo /</b> Body	Acciaio inox / SS Aisi 316
<b>2</b>	<b>Tappo /</b> Cap	Acciaio inox / SS Aisi 316
<b>3*</b>	<b>Sfera /</b> Ball	Acciaio inox / SS Aisi 316
<b>4*</b>	<b>Albero /</b> Stem	Acciaio inox / SS Aisi 316
<b>5*</b>	<b>Tenuta sfera /</b> Seat ball	PTFE + 15% Fibra di vetro / PTFE + 15% Glass fiber
<b>6*</b>	<b>Guarnizione /</b> Gasket	PTFE + 15% grafite / PTFE + 15% graphite
<b>7*</b>	<b>Rondella /</b> Trust Washer	PTFE + 15% grafite / PTFE + 15% graphite
<b>8*</b>	<b>Anello OR albero /</b> Stem O-ring	FPM
<b>9*</b>	<b>Pacco albero /</b> Stem packing	PTFE
<b>10</b>	<b>Anello albero /</b> Stem ring	Acciaio inox / SS Aisi 304
<b>11</b>	<b>Rondella /</b> Washer	Acciaio inox / SS 301
<b>12</b>	<b>Dado - Arresto /</b> Nut - Stopper	Acciaio inox / SS Aisi 304
<b>13</b>	<b>Rondella /</b> Washer	Acciaio inox / SS Aisi 304
<b>17</b>	<b>Bullone - Dado /</b> Bolt - Nut	Acciaio inox / SS Aisi 304
<b>18</b>	<b>Maniglia /</b> Handle	Acciaio inox / SS Aisi 304
<b>19</b>	<b>Coprimaniglia /</b> Handle Sleeve	Vinile / Vynil
<b>20</b>	<b>Antisvitamento /</b> Lock washer	Acciaio inox / SS Aisi 304

\* **Ricambi disponibili /** Spare parts

**Dimensioni e pesi /**  
**Dimensions and weights**

Codice Code	Versione Type	Misura Size	DN	PN	Peso in gr. Weight in gr.	KV m <sup>3</sup> /h	Dimensioni in mm Dimensions in mm				
							A	L	M	P	ISO 5211
900978	Standard	1/4"	8	63	390	6	60	47,6	112	11	F-03
900979		3/8"	10	63	380	10	60	47,6	112	12,7	F-03
900980		1/2"	15	63	440	24	60	56	112	15	F-03/F-04
900981		3/4"	20	63	820	43	70	73	138	20	F-04/F-05
900982		1"	25	63	1,020	83	70	82	138	25	F-04/F-05
900983		1" 1/4	32	63	1,790	130	88	91	160	32	F-05/F-07
900984		1" 1/2	40	63	2,460	205	94	104	205	40	F-05/F-07
900985		2"	50	63	3,470	340	100	120	205	50	F-05/F-07
900986		2" 1/2	65	63	8,500	520	150	155	330	65	F-07/F-10
900987		3"	80	63	12,400	1.100	165	182	330	80	F-07/F-10
900988		4"	100	63	19,650	1.820	175	220	340	100	F-07/F-10
H2025N02		NPT	1/4"	8	63	390	6	60	47,6	112	11
H2025N03	3/8"		10	63	380	10	60	47,6	112	12,7	F-03
H2025N04	1/2"		15	63	440	24	60	56	112	15	F-03/F-04
H2025N05	3/4"		20	63	820	43	70	73	138	20	F-04/F-05
H2025N06	1"		25	63	1,020	83	70	82	138	25	F-04/F-05
H2025N07	1" 1/4		32	63	1,790	130	88	91	160	32	F-05/F-07
H2025N08	1" 1/2		40	63	2,460	205	94	104	205	40	F-05/F-07
H2025N09	2"		50	63	3,470	340	100	120	205	50	F-05/F-07
H2025N10	2" 1/2		65	63	8,500	520	150	155	330	65	F-07/F-10
H2025N11	3"		80	63	12,400	1.100	165	182	330	80	F-07/F-10
H2025N12	4"		100	63	19,650	1.820	175	220	340	100	F-07/F-10
H202602	BUTT WELD		1/4"	8	63	370	6	60	47,6	112	11
H202603		3/8"	10	63	370	10	60	47,6	112	12,7	F-03
H202604		1/2"	15	63	440	24	60	55	112	15	F-03/F-04
H202605		3/4"	20	63	810	43	70	73	138	20	F-04/F-05
H202606		1"	25	63	990	83	70	81	138	25	F-04/F-05
H202607		1" 1/4	32	63	1,770	130	88	91	160	32	F-05/F-07
H202608		1" 1/2	40	63	2,350	205	94	103	205	40	F-05/F-07
H202609		2"	50	63	3,280	340	100	120	205	50	F-05/F-07
H202610		2" 1/2	65	63	8,550	520	150	155	330	65	F-07/F-10
H202611		3"	80	63	11,850	1.100	165	182	330	80	F-07/F-10
H202612		4"	100	63	20,300	1.820	175	229	340	100	F-07/F-10
H202702		SOCKET WELD	1/4"	8	63	380	6	60	47,6	112	11
H202703	3/8"		10	63	380	10	60	47,6	112	12,7	F-03
H202704	1/2"		15	63	440	24	60	55	112	15	F-03/F-04
H202705	3/4"		20	63	820	43	70	73	138	20	F-04/F-05
H202706	1"		25	63	1,020	83	70	81	138	25	F-04/F-05
H202707	1" 1/4		32	63	1,780	130	88	91	160	32	F-05/F-07
H202708	1" 1/2		40	63	2,470	205	94	103	205	40	F-05/F-07
H202709	2"		50	63	3,400	340	100	120	205	50	F-05/F-07
H202710	2" 1/2		65	63	8,800	520	150	155	330	65	F-07/F-10
H202711	3"		80	63	12,350	1.100	165	182	330	80	F-07/F-10
H202712	4"		100	63	19,600	1.820	175	229	340	100	F-07/F-10